



0012

CERTIFICATE OF REGISTRATION

This is to certify that

Falcon Timber Ltd

The Enterprise Building,
Ferry Road, Port of Tilbury
Tilbury
Essex
RM18 7HL

Meets the requirements of the BM TRADA **Q-Mark Fire Door Manufacture** scheme to **STD 006**

Steve Roberts
Product Certification Operations Manager
For and on behalf of BM TRADA

Certificate Number

020

Date of Initial Certification

27 January 2009

Date of Last Issue

9 June 2023

Date of Expiry

28 June 2024

BM TRADA is a trading name of Warringtonfire Testing and Certification Limited, Chiltern House, Stocking Lane, High Wycombe, Buckinghamshire, HP14 4ND, UK
Registered Office: Warringtonfire Testing and Certification Limited, 3rd Floor, Davidson Building, 5 Southampton Street, London, WC2E 7HA, UK
Reg No. 11371436.

This certificate remains the property of Warringtonfire Testing and Certification Limited. This certificate and all copies or reproductions of the certificate shall be returned to Warringtonfire Testing and Certification Limited or destroyed if requested. Further clarification regarding the scope of this certificate and verification of the certificate is available through BM TRADA or at the above address or at www.bmtrada.com

Registration Schedule

Head Office Address

The Enterprise Building
Ferry Road, Port of Tilbury
Tilbury
Essex
RM18 7HL

Factory Address

Factory F1: Details held on file
Factory F3: Details held on file
Factory F5: Details held on file
Factory F12: Details held on file
Factory F12A: Details held on file
Factory F14: Details held on file
Factory F19: Details held on file

Scope

Primary Field of Application (FoA) Reports (owned by this certified company)

Primary FoA reports owned by this Q-Mark certified company are listed on the Q-Mark certificate along with the latest revision status. They are either used in isolation, or can be used in conjunction with an appropriate associated document that is listed below, providing that the FoA report allows it and that both documents are compatible with each other. Where more than one primary FoA is listed for the same doorset type, they cannot be mix and matched, only one FoA is to be chosen and followed precisely.

Type	FoA Report	Rev	Owned by Certified Company named on this scope	Doorset Description	Integrity Period	Test Type
Blanks Manufactured at Factory 3 (STREbord® 35)						
Fire	Chilt/A12137	A	Falcon Timber Limited	STREbord® 35 doorsets for 30 Minutes Fire Resistance (Glazed or Unglazed)	30min	BS 476 Pt22
Smoke	N/A	-	-			N/A
Fire	WF380559	A	Falcon Timber Limited	STREbord® 35+ doorsets for 30 Minutes Fire Resistance (Glazed or Unglazed)	30min	BS 476 Pt22
Smoke	N/A	-	-			N/A
Blanks Manufactured at Factory 1, 3, 5 (STREbord® 44)						
Fire	Chilt/A02066	O	Falcon Timber Limited	STREbord® 44 door assemblies for 30 Minutes Fire Resistance (Glazed or Unglazed)	30min	BS 476 Pt22
Smoke	N/A	-	-			N/A
Fire	Chilt/A09104	C	Falcon Timber Limited	STREbord® 44 Panelled doorsets for 30 Minutes Fire Resistance (Glazed or Unglazed)	30min	BS 476 Pt22
Smoke	N/A	-	-			N/A
Blanks Manufactured at Factory 1, 3 (STREbord® 44)						
Fire	WF407090	B	Falcon Timber Limited	STREbord® 44 doorsets for 30 Minutes Fire Resistance (Front Entrance Doorsets) (Glazed or Unglazed)	30min	BS 476 Pt22
Smoke	N/A	-	-			N/A
Fire	WF417523	-	Falcon Timber Limited	STREbord® 44+ doorsets for 60 Minutes Fire Resistance (Unglazed only)	60min	BS 476 Pt22
Smoke	N/A	-	-			N/A
Blanks Manufactured at Factory 3 (STREbord® 54)						
Fire	Chilt/A02067	K	Falcon Timber Limited	STREbord® 54 doorsets for 60 Minutes Fire Resistance (Glazed or Unglazed)	60min	BS 476 Pt22
Smoke	N/A	-	-			N/A
Fire	Chilt/A02066	O	Falcon Timber Limited	STREbord® 54 door assemblies for 30 Minutes Fire Resistance (Glazed or Unglazed)	30min	BS 476 Pt22
Smoke	N/A	-	-			N/A
Fire	WF407090	B	Falcon Timber Limited	STREbord® 54 doorsets for 30 Minutes Fire Resistance (Front Entrance Doorsets) (Glazed or Unglazed)	30min	BS 476 Pt22
Smoke	N/A	-	-			N/A
Fire	WF427764	-	Falcon Timber Limited	STREbord® 54 Fire Resisting Doorsets for 60 minutes fire resistance (Front Entrance Doorsets) (Glazed or Unglazed)	60min	BS 476 Pt22
Smoke	N/A	-	-			N/A
Fire	Chilt/A10152	D	Falcon Timber Limited	STREbord® 54 Panelled Range of Doorsets using STREbord® 54 Panelled Door Blanks in Timber Based Door Frames 60 Minutes Fire Resistance (Unglazed only)	60min	BS 476 Pt22
Smoke	N/A	-	-			N/A
Blanks Manufactured at Factory 14 (STREdor® 44)						
Fire	BMT/CNA/F15159	F	Falcon Timber Limited	STREdor® 44 doorsets for 30 Minutes Fire Resistance (Glazed or Unglazed)	30min	BS 476 Pt22
Smoke	N/A	-	-			N/A
Fire	WF407090	B	Falcon Timber Limited	STREdor® 44 doorsets for 30 Minutes Fire Resistance (Front Entrance Doorsets) (Glazed or Unglazed)	30min	BS 476 Pt22
Smoke	N/A	-	-			N/A
Blanks Manufactured at Factory 14 (STREdor® 54)						
Fire	WF407090	B	Falcon Timber Limited	STREdor® 54 doorsets for 30 Minutes Fire Resistance (Front Entrance Doorsets) (Glazed or Unglazed)	30min	BS 476 Pt22
Smoke	N/A	-	-			N/A
Fire	WF377027	A	Falcon Timber Limited	STREdor® 54 Doorsets for 30 Minutes Fire Resistance (Glazed or Unglazed)	30min	BS 476 Pt22
Smoke	N/A	-	-			N/A
Fire	WF377027	A	Falcon Timber Limited	STREdor® 54 Doorsets for 60 Minutes Fire Resistance (Glazed or Unglazed)	60min	BS 476 Pt22
Smoke	N/A	-	-			N/A
Fire	WF427764	-	Falcon Timber Limited	STREdor® 54 Fire Resisting Doorsets for 60 minutes fire resistance (Front Entrance Doorsets) (Glazed or Unglazed)	60min	BS 476 Pt22
Smoke	N/A	-	-			N/A
Material in kit form manufactured at Factory 8 (WSCP)						
Fire	Chilt/A12138	A	Falcon Timber Limited	Warm Springs Composite Products 60 Minutes Fire Resisting Doorsets (Glazed or Unglazed)	60min	BS 476 Pt22
Smoke	N/A	-	-			N/A
Fire	Chilt/A12138	A	Falcon Timber Limited	Warm Springs Composite Products 90 Minutes Fire Resisting Doorsets	90min	BS 476 Pt22

Smoke	N/A	-	-	(Glazed or Unglazed)		N/A
Fire	Chilt/A12138	A	Falcon Timber Limited	Warm Springs Composite Products 120 Minutes Fire Resisting Doorsets (Glazed or Unglazed)	120min	BS 476 Pt22
Smoke	N/A	-	-			N/A
Blanks Manufactured at Factory 12/12A (Duocore)						
Fire	Chilt/A12296	B	Falcon Timber Limited	Duocore® Range of Doorsets Using 44mm thick Door Blanks in Timber Based Door Frames for 30 Minutes Fire Resistance (Glazed or Unglazed)	30min	BS 476 Pt22
Smoke	N/A	-	-			N/A
Blanks Manufactured at Factory 19 (Ramkor)						
Fire	WF383876	B	Falcon Timber Limited	The Ramkor Range of Doorsets Using Particleboard Door blanks in Timber based Door Frames (Glazed or Unglazed)	90min	BS 476 Pt22
Smoke	N/A	-	-			N/A

Type	Exap Report	Rev	Owned by Certified Company named on this scope	Doorset Description	Integrity Period	Test Type
Blanks Manufactured at Factory 1, 3, 5 (STREbord® 44)						
Fire	BMT/CNA/F14053	A	Falcon Timber Limited	STREbord® 44 EI30, 30 Minutes (Integrity and insulation) Fire Resisting Doorsets (EXAP) (Glazed or Unglazed)	30min	EN 1634-1
Smoke	N/A	-	-			N/A
Blanks Manufactured at Factory 3 (STREbord® 54)						
Fire	BMT/CNA/F14054	A	Falcon Timber Limited	STREbord® 54, 60 Minutes Fire Resisting Doorsets (EXAP) (Glazed or Unglazed)	60min	EN 1634-1
Smoke	N/A	-	-			N/A
Blanks Manufactured at Factory 14 (STREdor® 44)						
Fire	WF428387	-	Falcon Timber Limited	STREdor® 44 E30 FED, 30 Minute (Integrity) Fire Resisting and Smoke Control Doorsets (EXAP) (Glazed or Unglazed)	30min	EN 1634-1
Smoke	WF428364	-	Falcon Timber Limited			EN 1634-3
Fire	WF428388	-	Falcon Timber Limited	STREdor® 44 EI30 FED, 30 Minute (Integrity and insulation) Fire Resisting and Smoke Control Doorsets (EXAP) (Glazed or Unglazed)	30min	EN 1634-1
Smoke	WF428364	-	Falcon Timber Limited			EN 1634-3

Primary Field of Application Reports (owned by and cascaded by a System Supplier)

Primary FoA reports owned by a System Supplier are listed on the Q-Mark certificate. The revision status of each FoA can be verified on the BM TRADA website under each System Supplier's certification entry. They are either used in isolation, or can be used in conjunction with an appropriate associated document that is listed below, providing that the FoA report allows it and that both documents are compatible with each other.

Where more than one primary FoA is listed for the same doorset type, they cannot be mix and matched, only one FoA is to be chosen and followed precisely.

Type	FoA Report	System Supplier owner of Assessment Report	Doorset Description	Integrity Period	Test Type
Fire	N/A	-	-	-	-
Smoke	N/A	-	-	-	-

Test Reports

Test reports are listed on the Q-Mark certificate. They cannot be used in conjunction with any primary FoA reports, other test reports or associated documents. They must be followed precisely without any deviation whatsoever.

No specification or parameter changes are allowed at all from that stated within the test report such as size, shape, design, glazing, leaf/frame specification, hardware etc.

Type	Test Report	Owner of Test Report	Doorset Description	Integrity Period	Test Type
Fire only	N/A	-	-	-	-