

FIRE RESISTANT TIMBER FIRE DOORS

Certificate number: FRTD 427

Certificate only valid if verified on website – www.ifccertification.com

Issued by IFC Certification Ltd part of the Kiwa UK Group

This is to certify that:

Falcon Timber Ltd

The Enterprise Building,
Port of Tilbury,
Essex,
RM18 7HL

Tel: 01824 730266

Who manufacture door blanks used for the fabrication of the following fire doors & doorsets:

**Strebord® 44 FD30, Strebord® 54 FD60.
Stredor® 44 FD30, Stredor® 54 FD60.
Ramkor® FD60, FD90. Duocore® 44 FD30
Warm Springs Composite Products FD60, FD90 & FD120**

at manufacturing sites: B-W, GG-07, JJ-4, R-F, and V-B have satisfied the requirements of the SDP 01 Timber Fire Door scheme v3.9. This includes the testing of products to **BS476: Part 22: 1987**, the inspection of their Factory Production Control, continuing surveillance audits, and testing of samples of products taken from production. The product specification and field of application to achieve from **30 minutes to 120 minutes** integrity are detailed on page 2 of this certificate.

Initial Certification: 22 December 2011

Re-issued: 09 December 2021

Revised: 23 July 2025


Valid to: 21 December 2026

Issue Number: 9

David Mowatt
Head of Certification – IFC Certification /
KIWA Group Limited

*This certificate consists of 2 pages.
Publication of this certificate is permitted.*





The production of fire-resistant timber doorsets are manufactured in accordance with assessment/ test reports referenced within the following table:

Doorset Description	Fire Rating	Assessment/Test Report
Strebord®	FD30	IFCA/08037 Rev E
Strebord®	FD60	IFCA/08038 Rev C
Strebord® 44 and 54	FD30	Chilt/A02066 Rev Q
Strebord® 54	FD60	Chilt/A02067 Rev N
Stredor® 44	FD30	BMT/CNA/F15159 Rev F
Stredor® 54	FD60	WF377027 Rev A
Ramkor® 90/90+	FD90	WF383876 Rev B
Ramkor®	FD60, FD90	PAR/17082/01 Rev A
Duocore® 44	FD30	Chilt/A12296 Rev C
Warmsprings	FD60, FD90, FD120	Chilt/A12138 Rev B
Warmsprings	FD60, FD90, FD120	IFCA/07019 Rev D

Signed on behalf of Kiwa UK

David Mowatt
Head of Certification – IFC Certification /
KIWA Group Limited

The scope of the certification is limited to the details and parameters contained within these reports and all aspects of the specification and limitations defined therein must be satisfied.

It is the certificate holder's responsibility to ensure that the latest version/ revision of the above assessment reports are maintained as part of the audited FPC system.

Failure to comply with all specifications will invalidate the certification and may jeopardise the fire performance.